

# Confirmation

Ulm, 24/05/2013

To whom it may concern

We herewith confirm that our product

**UZIN PE 360 PLUS Universal Primer**

neither contains carcinogenic nor sensitising volatile substances.

**UZIN PE 360 PLUS** meets the requirements of "very low emission" products (EMICODE EC 1<sup>PLUS</sup>) according to the criteria of the GEV (Association for the Control of Emissions in Products for Flooring Installation, Düsseldorf, Germany). Products labeled with EMICODE EC 1<sup>PLUS</sup> have passed a specific test-chamber measurement performed according EN ISO 16000-9 and emit less than 60 micrograms of VOC per m<sup>3</sup> after 28 days. EC 1<sup>PLUS</sup>-products thus stand for modern, solvent free and extremely low emission flooring installation materials. In respect of Indoor Air Quality, they provide the most ecological method for state-of-the-art flooring installation.

The use of carcinogenic substances is prohibited in products labelled with the EMICODE.

Isocyanates or other sensitising volatile substances are neither used in **UZIN PE 360 PLUS** nor have they been detected in the test-chamber measurement. Thus, substances prohibited in BREEAM requirements for Flooring adhesives – Hea 9 - Volatile Organic Compounds are neither used nor will be emitted from **UZIN PE 360 PLUS**.

**UZIN PE 360 PLUS** is therefore perfectly suitable for all construction projects with highest demands on Indoor Air Quality, as defined for example in BREEAM section "Flooring adhesives – Hea 9 - Volatile Organic Compounds".

We hope this information supplies you with the support you require. In case of further questions please do not hesitate to contact us.

Sincerely

**UZIN UTZ AG**

Dr. Michael Zieger

- Product safety manager -

This document is valid without signature

Uzin Utz AG | A Company of Uzin Utz Group

Postfach 40 80 | D-89030 Ulm | Dieselstrasse 3 | D-89079 Ulm | Telephone +49 (0)731 4097-113 | Telefax +49 (0)731 4097-108

E-mail [info@uzin-utz.com](mailto:info@uzin-utz.com) | Internet [www.ufloor-systems.com](http://www.ufloor-systems.com) | Register Court Ulm, HRB 3499 | Chief Executive Officer: Dr. H. Werner Utz

Member of the Executive Board: Thomas Müllerschön | Chairman of the Supervisory Board: Prof. Dr. Dr. h.c. Brun-Hagen Hennerkes

